

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 5,363,680				Community Options and MA Waiver Programs				
Population per square mile 99								
County ranking in state (1-72) .								
Age	Female	Male	Total	Clients	Costs	Staffing - FTE	Number	Per 10,000 Population
0-14	548,690	576,220	1,124,890	COP	9,171 \$33,348,916	Total staff	1,732	3.6
15-19	198,420	208,780	407,200	MA Waiver *		Administrative	197	0.4
20-24	174,920	182,370	357,290	CIP1A	1,173 \$62,851,203	Professional staff	971	2.0
25-29	163,900	170,010	333,910	CIP1B	8,079 \$198,818,792	Technical/Paraprof.	197	0.5
30-34	183,840	188,410	372,260	CIP2	2,878 \$34,000,593	Support staff	366	0.8
35-39	217,590	217,660	435,260	COP-W	11,035 \$76,652,186	Funding Per capita		
40-44	218,840	221,420	440,270	CSLA	214 \$1,092,800	Total	\$102,689,071	\$21.35
45-54	363,600	368,710	732,300	Brain Injury	219 \$10,741,500	Local Taxes	\$53,914,715	\$12.11
55-64	233,800	223,940	457,740	Total COP/Wvrs	25,981 \$417,505,990	----- Licensed Establishments -----		
65-74	190,930	164,380	355,310	\$27,706,486 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		Type	Capacity	Facilities
75-84	151,740	99,880	251,630	* Waiver costs reported here include federal funding.		Bed & Breakfast	1,597	457
85+	68,370	27,250	95,630			Camps	72,695	1,036
Total	2,714,630	2,649,040	5,363,680	Clients	costs	Hotels, Motels	96,755	2,788
Age	Female	Male	Total	Eligible and		Tourist Rooming	4,843	1,749
0-17	667,060	701,710	1,368,750	Waiting	12,000 n/a	Pools		2,622
18-44	1,039,140	1,063,160	2,102,330	Family Care 2,326 \$22,996,726		Restaurants		17,594
45-64	597,400	592,650	1,190,040	Note: In 2000 four counties piloted the Family Care Waiver. Eligible and waiting clients will be phased into Family Care. Hence, clients can incur costs for COP/Waivers and Family Care.		Vending		313
65+	411,040	291,510	702,570			----- WIC Participants -----		
Total	2,714,630	2,649,040	5,363,680					
Poverty Estimates for 1997								
Estimate (C.I.+/-)								
All ages	478,698	50,081						
9.2% (1%)								
Ages 0-17	196,327	28,996						
14.3% (2%)								
----- Employment -----								
Average wage for jobs covered				Home Health Agencies 155				
by unemployment compensation \$30,687				Patients 72,046				
Note: based on place of work				Patients per 10,000 pop. 134				
						</		

NATALITY

TOTAL LIVE BIRTHS			69,289	<u>Birth Order</u>			<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>	
Crude Live Birth Rate			12.9	First			27,248	39	Married			48,745	70	
General Fertility Rate			59.9	Second			22,825	33	Not married			20,543	30	
Live births with reported congenital anomalies			902	1.3%	Third			11,408	16	Unknown			1	<.5
					Fourth or higher			7,800	11					
					Unknown			8	<.5					
<u>Delivery Type</u>			<u>Births</u>	<u>Percent</u>	<u>First Prenatal Visit</u>			<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>
Vaginal after					1st trimester			58,129	84	Elementary or less			2,238	3
previous cesarean			1,778	3	2nd trimester			8,644	12	Some high school			8,799	13
Forceps			1,373	2	3rd trimester			1,776	3	High school			21,641	31
Other vaginal			54,017	78	No visits			530	1	Some college			16,740	24
Primary cesarean			7,806	11	Unknown			210	<.5	College graduate			19,730	28
Repeat cesarean			4,304	6						Unknown			141	<.5
Other or unknown			11	<.5										
<u>Birthweight</u>			<u>Births</u>	<u>Percent</u>	<u>Number of Prenatal Care visits</u>			<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>
<1,500 gm			855	1.2	No visits			531	1	Smoker			11,428	16
1,500-2,499 gm			3,671	5.3	1-4			2,047	3	Nonsmoker			57,787	83
2,500+ gm			64,756	93.5	5-9			12,716	18	Unknown			74	<.5
Unknown			7	<.5	10-12			29,381	42					
					13+			24,355	35					
					Unknown			259	<.5					

Race of Mother	Births	Percent	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit			
			Births	Percent	1st Trimester	2nd Trimester	Other/Unknown	
White	59,733	86	3,465	5.8	51,530	86	6,404	11
Black	6,497	9	867	13.3	4,529	70	1,436	22
Other	3,039	4	189	6.2	2,055	68	800	26
Unknown	20	<.5	5	25.0	15	75	4	20

Age of Mother	Births	Fertility Rate	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit			
			Births	Percent	1st Trimester	2nd Trimester	Other/Unknown	
<15	99	--	16	16.2	48	48	39	39
15-17	2,225	19	226	10.2	1,325	60	672	30
18-19	4,753	59	404	8.5	3,354	71	1,083	23
20-24	15,606	89	1,091	7.0	12,139	78	2,732	18
25-29	19,594	120	1,097	5.6	17,165	88	1,900	10
30-34	17,692	96	962	5.4	15,977	90	1,322	7
35-39	7,776	36	591	7.6	6,844	88	716	9
40+	1,539	7	138	9.0	1,275	83	179	12
Unknown	5	--	1	20.0	2	40	1	20

Teenage Births 7,077 36

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	1,189
Giardiasis	774
Hepatitis Type A	102
Hepatitis Type B**	542
Hepatitis NANB/C	1,124
Legionnaire's	44
Lyme	636
Measles	***
Meningitis, Aseptic	141
Meningitis, Bacterial	72
Mumps	***
Pertussis	***
Salmonellosis	731
Shigellosis	326
Tuberculosis	92

* 2000 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	16,357
Genital Herpes	2,402
Gonorrhea	7,008
Syphilis	183

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	945,870
Non-compliant	32,711
Percent Compliant	96.7

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	46,405
Crude Death Rate	865

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	72	21
5-14	142	18
15-19	266	65
20-34	866	81
35-54	4,005	249
55-64	3,899	852
65-74	8,084	2,275
75-84	13,675	5,435
85+	14,939	15,622

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	457	6.6
Neonatal	302	4.4
Postneonatal	155	2.2
Unknown	.	.

Race of Mother

White	331	5.5
Black	109	16.8
Other	16	.
Unknown	1	.

Birthweight

<1,500 gm	224	262.0
1,500-2,499 gm	64	17.4
2,500+ gm	167	2.6
Unknown	2	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	716	10.3
Neonatal	302	4.4
Fetal	414	5.9

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	13,611	254
Ischemic heart disease	9,448	176
Cancer (total)	10,620	198
Trachea/Bronchus/Lung	2,724	51
Colorectal	1,176	22
Female Breast	784	29*
Cerebrovascular Disease	3,580	67
Lower Resp. Disease	2,309	43
Pneumonia & Influenza	1,214	23
Accidents	2,154	40
Motor vehicle	865	16
Diabetes	1,315	25
Infectious & Parasitic	649	12
Suicide	588	11

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	648	12
Other Drugs	726	14
Both Mentioned	110	2

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	63,890	801
Alcohol-Related	6,836	301
With Citation:		
For OWI	4,717	42
For Speeding	5,572	16
Motorcyclist	2,014	78
Bicyclist	1,244	10
Pedestrian	1,648	50

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All					
Total	45,313	8.4	4.7	\$13,396	\$113
<18	4,477	3.3	3.4	\$10,215	\$33
18-44	11,867	5.6	4.0	\$13,108	\$74
45-64	9,552	8.0	4.8	\$14,383	\$115
65+	19,417	27.6	5.4	\$13,821	\$382
Injury: Hip Fracture					
Total	5,796	1.1	5.9	\$16,067	\$17
65+	5,315	7.6	5.9	\$15,936	\$121
Injury: Poisonings					
Total	3,724	0.7	2.2	\$5,500	\$4
18-44	2,029	1.0	2.0	\$5,137	\$5
Psychiatric					
Total	33,594	6.3	9.0	\$7,380	\$46
<18	6,810	5.0	10.4	\$8,318	\$41
18-44	16,353	7.8	8.0	\$6,153	\$48
45-64	5,861	4.9	9.7	\$7,788	\$38
65+	4,570	6.5	9.8	\$9,848	\$64
Coronary Heart Disease					
Total	32,878	6.1	4.0	\$21,049	\$129
45-64	11,130	9.4	3.4	\$21,661	\$203
65+	20,262	28.8	4.4	\$20,898	\$603
Malignant Neoplasms (Cancers): All					
Total	22,949	4.3	6.2	\$17,060	\$73
18-44	2,130	1.0	5.3	\$18,003	\$18
45-64	7,624	6.4	5.7	\$17,023	\$109
65+	12,867	18.3	6.6	\$16,531	\$303
Neoplasms: Female Breast (rates for female population)					
Total	2,301	0.8	2.1	\$9,268	\$8
Neoplasms: Colo-rectal					
Total	3,118	0.6	8.3	\$20,055	\$12
65+	2,254	3.2	8.8	\$21,096	\$68
Neoplasms: Lung					
Total	2,160	0.4	6.9	\$18,691	\$8
Diabetes					
Total	6,687	1.2	5.0	\$10,391	\$13
65+	2,530	3.6	5.9	\$11,163	\$40

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Alcohol-Related					
Total	13,477	2.5	4.1	\$4,452	\$11
18-44	7,721	3.7	3.7	\$3,573	\$13
45-64	4,486	3.8	4.4	\$5,267	\$20
Pneumonia and Influenza					
Total	19,582	3.7	5.2	\$9,558	\$35
<18	2,205	1.6	3.1	\$5,422	\$9
45-64	3,322	2.8	5.0	\$10,434	\$29
65+	12,387	17.6	5.7	\$10,139	\$179
Cerebrovascular Disease					
Total	15,715	2.9	4.8	\$11,968	\$35
45-64	2,984	2.5	5.0	\$15,261	\$38
65+	12,125	17.3	4.6	\$10,692	\$185
Chronic Obstructive Pulmonary Disease					
Total	13,717	2.6	3.9	\$6,988	\$18
<18	2,303	1.7	2.0	\$3,405	\$6
18-44	1,744	0.8	2.8	\$5,432	\$5
45-64	2,839	2.4	4.1	\$7,807	\$19
65+	6,831	9.7	4.7	\$8,252	\$80
Drug-Related					
Total	3,527	0.7	6.3	\$5,190	\$3
18-44	2,283	1.1	4.7	\$4,062	\$4
Total Hospitalizations					
Total	612,985	114.3	4.2	\$9,542	\$1,090
<18	108,574	79.3	3.2	\$4,595	\$364
18-44	166,236	79.1	3.4	\$6,988	\$553
45-64	116,536	97.9	4.5	\$12,332	\$1,208
65+	221,639	315.5	5.3	\$12,413	\$3,916

PREVENTABLE HOSPITALIZATIONS*

Total	78,694	14.7	4.3	\$8,187	\$120
<18	8,553	6.2	2.4	\$4,498	\$28
18-44	10,206	4.9	3.3	\$6,994	\$34
45-64	15,023	12.6	4.3	\$9,105	\$115
65+	44,912	63.9	4.9	\$8,854	\$566

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.